Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("5979754").PN.	USPAT; USOCR	OR	OFF	2005/09/29 16:27
L2	0	("(guest$1with(timenear2access$3))and@ad<=20001026").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:29
L3	7	(guest$1 with (time near2 access$3)) and @ad<="20001026"	USPAT	OR	OFF	2005/09/29 16:30
L4	13	(guest$1 same (time near2 access$3)) and (access$3 with door$1 or gate$1)and @ad<="20001026"	USPAT	OR	OFF	2005/09/29 16:59
L5	1	("5979754").PN.	USPAT; USOCR	OR	OFF	2005/09/29 16:59
S1	0	(key near1 database) with (door near1 admin$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:02
S2	0	(key near1 database) same (door near1 admin$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:02
S3	0	(key near4 database) same (door near1 admin$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:02
S4	0	(key near4 database) same (door near1 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:04
S5	0	(user with key$1 near1 profile) same (door near1 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:04

S6	64	(user with key$1 near1 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:05
S7	1	(user with key$1 near1 profile)with access$3 with control$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:05
S8	7712	door with access$3 with control$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:06
S9	0	(door with access$3 with control$3) with (key$1 near1 profile$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:06
S10	0	(door with access$3 with control$3) same (key$1 near1 profile$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:07
S11	8	(door with access$3 with control$3) and(key$1 near1 profile$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:11
S12	3	(door near1 controll$3) and(key$1 near1 profile$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:12
S13	10	(door near1 controll$3) and(key$1 with profile$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:13

S14	3	(door near1 controll$3) and(key$1 with profile$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:14
S15	35	(door with controll$3) and(key$1 with profile$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:16
S16	1	"713"/$.ccls. and(door with controll$3) and(key$1 with profile$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:15
S17	1	"380"/$.ccls. and (door with controll$3) and(key$1 with profile$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:17
S18	0	"380"/$.ccls. and (door near1 access$3) and(key$1 with profile$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:17
S19	0	"380"/$.ccls. and (door$1 near1 access$3) and(key$1 with profile$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:17
S20	24	(door$1 near1 access$3) and(key$1 with profile$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:18
S21	0	(door$1 near1 access$3) and(reset$3 with key$1 with profile$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:19

S22	1	(door$1 near1 access$3) and(chang$3 with key$1 with profile$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:24
S23	4	(door$1 with access$3) and(chang$3 with key$1 with profile$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:27
S24	22	(door$1 with access$3) and(reset$3 with access$3 near1 code$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:37
S25	0	(door$1 with access$3) and(reset$3 with access$3 near1 code$1)and @ad<="20001026" and clock near1 door	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:32
S26	2024	(door$1 with access$3) and(authorized wiht reset$3 with access$3 near1 code$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:37
S27	3	(door$1 with access$3) and(authorized with reset$3 with access$3 near1 code$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:39
S28	4	(door$1 with lock$3) and(authorized with reset$3 with access$3 near1 code$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:55
S29	6	(door$1 same lock$3) and(authorized with reset$3 with access$3 near1 code$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:56

S30	0	(door$1 same lock$3) and(authorized with reset$3 with access$3 near1 code$1) and (remote with profile)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:57
S31	0	(authorized with reset$3 with access$3 near1 code$1) and (remote with profile)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:57
S32	0	(reset$3 with access$3 near1 code$1) and (remote with profile)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:57
S33	7	(remote with reset$3 with access$3 near1 code$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:59
S34	0	(remote with reset$3 with authenticat$3 near1 code$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:59
S35	0	(remote with reset$3 with authorize$3 near1 code$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:00
S36	37	(remote with reset$3 near5 code$1) and (door$1 or gate$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:32
S37	12	(remote with reset$3 near5 code$1) and (door$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:34

S38	6	(guest with reset$3 near5 code$1) and (door$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:57
S39	0	(guest with remote$3 with reset$3 near5 code$1) and (door$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:58
S40	0	(guest with remote$3 with register$3 near5 code$1) and (door$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:58
S41	0	(guest with remote$3 with register$3) and (door$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:58
S42	0	(guest with change$3 with register$3) and (door$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:58
S43	26	(guest with change$3 with code$3) and (door$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:58
S44	0	(guest with remote43 with change$3 with code$3) and (door$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:59
S45	26	(guest with change$3 with code$3) and (door$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:01

S46	5	(guest near1 change$3 with code$3) and (door$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:28
S47	0	(guest near1 change$3 with code$3) and (central near1 controll$4)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:29
S48	0	(guest near1 change$3 with code$3) and (center near1 controll$4)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:29
S49	0	(guest near1 change$3 with code$3) and (center near3 controll$4)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:29
S50	0	(guest near1 change$3 with code$3) and (resgist$3)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:30
S51	0	(guest near1 reset$3 with code$3) and (resgist$3)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:30
S52	4	(guest near1 reset$3 with code$3) and (central)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:23